

EURO 5202 Trendelenburg/ reverse Trendelenburg



Goes down to
25 cm

EURO 5202



Total weight:

- 75 kg

Warranty:

- 5 years motors and mechanics

Class 1

Technical features EURO 5202 :

- Electrical variable height : **25 to 77,5 cm**
- Trendelenburg/reverse Trendelenburg angle : **13.5°**
- One-piece mattress platform with ABS plastic, wooden or metal/mesh slats
- 4 lifting or IV pole supports
- Electrical back rest
- 4-section profiling with electrical knee-break
- Securis 3-bar siderails (reference: BL3170)
- 2 Ø100 castors on the head side
- 4 twin Ø75 castors (2 free – 2 with breaks) on the foot side
- Option: central breaking
4 Ø80 metal castors: 2 rotating– 2 with central breaks and 2 castors Ø100 on the head side
- Handset with magnetic swipe fob to lock the functions
- Maximum loading charge: 200 kg (patient 135 kg)
- 220v – 50Hz
- Delivered on a transport kit with castors




Bed in compliance with Norm EN 60 601.2.52 for environments 2,3,4 and 5.

EURO 5202 Trendelenburg/reverse Trendelenburg


EURO 5202






EURO 5202 range-technical features



high



low

Trendelenburg/reverse
trendelenburg